

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*13916	- Mid-Channel Buoy A					Red and white stripes.	Private aid.  39/04
*13916.1	- Mid-Channel Buoy B					Red and white stripes.	Private aid.  39/04
*13917	- Mid-Channel Buoy C					Red and white stripes.	Private aid.  39/04
*13917.1	- Mid-Channel Buoy D					Red and white stripes.	Private aid.  39/04
*13918	- Mid-Channel Buoy E					Red and white stripes.	Private aid.  39/04
*13918.1	- Mid-Channel Buoy F					Red and white stripes.	Private aid.  39/04
*13919	- Mid-Channel Buoy G					Red and white stripes.	Private aid.  39/04
*13919.1	- Mid-Channel Buoy H					Red and white stripes.	Private aid.  39/04
16385	- Entrance Lighted Bell Buoy 2	41 36 23 N 70 39 30 W	<b>F I R</b> 4s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.  39/04
		*			*		

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*14823	- Warning Daybeacon A	37 29 19 N 76 19 22 W				NW on pile worded DANGER SHOAL.	  39/04
14825	- Buoy 2A					Red nun.	  39/04
	*					*	
14830	- Warning Daybeacon B	37 29 23 N 76 19 18 W				NW on pile worded DANGER SUBMERGED JETTY.	  39/04
	*						
25140	- CHANNEL LIGHT 34		<b>F I R</b> 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.  39/04
					*		
25455	- LIGHT 10		<b>F I R</b> 2.5s	15	4	TR on pile.	  39/04
					*		

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Silver Lake</b>							
29087	- LIGHT 14BF		FI R 4s		4	TR on multi-pile structure.	
					*		39/04
29120	- LIGHT 9		FI G 2.5s	17	4	SG on pile.	
							* 39/04
31170	WHALE HEAD BAY LIGHT 1	36 21 55 N 75 51 05 W	FI G 4s	15	4	SG on multi-pile structure.	
					*		39/04
31235	BEASLEY BAY LIGHT 2	36 17 13 N 75 48 29 W	FI R 4s	15	3	TR on multi-pile structure.	
					*		39/04
31360	Durant Island Daybeacon 1D	36 00 16 N 75 51 59 W				SG on pile.	
		*					39/04
34265	- Warning Daybeacon						Remove from list.
							* 39/04
*36007	- Buoy 263					Green can with yellow square.	
							39/04
*36009	- Buoy 263A					Green can with yellow square.	
							39/04
*36011	- Buoy 264A					Red nun with yellow triangle.	
							39/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
52	U.S. Geological Survey Lighted Buoy C						Remove from list.
							* 39/04
53	U.S. Geological Survey Lighted Buoy D						Remove from list.
							* 39/04
54	U.S. Geological Survey Lighted Buoy E						Remove from list.
							* 39/04
57	U.S. Geological Survey Lighted Buoy B						Remove from list.
							* 39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
59	U.S. Geological Survey Lighted Buoy A						Remove from list.
							* 39/04
*580	U.S. Navy Mooring Lighted Buoy		FI W 6s	3		White buoy with blue band.	Private aid.
							39/04
*2833	- Lighted Buoy 50		FI R 4s		3	Red.	
							39/04
2840	- Lighted Buoy 50A		FI R 4s		3	Red.	
	*						39/04
3885	- Inner Lighted Buoy 9		FI G 4s		3	Green.	
					*		39/04
<b>MIAMI TO ELLIOTT KEY (Chart 11465)</b>							
<b>Biscayne Bay</b>							
<b>Biscayne Channel</b>							
10805	- LIGHT	25 38 20 N 80 07 52 W	FI W 4s	37	6	NG on skeleton tower on piles.	
		*					39/04
*12627	- Daybeacon 1					SG on pile.	Private aid.
							39/04
*12627.1	- Daybeacon 2					TR on pile.	Private aid.
							39/04
*12627.2	- Daybeacon 3					SG on pile.	Private aid.
							39/04
*12627.3	- Daybeacon 4					TR on pile.	Private aid.
							39/04
*12627.4	- Daybeacon 5					SG on pile.	Private aid.
							39/04
*12627.5	- Daybeacon 6					TR on pile.	Private aid.
							39/04
*12627.6	- Daybeacon 7					SG on pile.	Private aid.
							39/04
*12627.7	- Daybeacon 8					TR on pile.	Private aid.
							39/04
*12627.8	- Daybeacon 9					SG on pile.	Private aid.
							39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*12627.9	- Daybeacon 10					TR on pile.	Private aid.  39/04
*15647.1	SNAKE BIGHT OBSTRUCTION LIGHT	25 10 03 N 80 52 42 W	FI W 6s			NW on pile worded OBSTRUCTION.	Private aid.  39/04
<b>Myakka River</b>							
20140	- Daybeacon 7	26 54 04 N 82 08 40 W				SG on pile.	Measured mile between Daybeacon 7 and 8.  39/04
		*					
*20354	- Shoal Daybeacon A	27 02 16 N 82 16 48 W				NW on pile.	Private aid.  39/04
*20354.1	- Shoal Daybeacon B					NW on pile.	Private aid.  39/04
*20354.2	- Shoal Daybeacon C					NW on pile.	Private aid.  39/04
*20354.3	- Shoal Daybeacon D					NW on pile.	Private aid.  39/04
21505	- Daybeacon 9					SG on pile.	Private aid.  * 39/04
21510	- Daybeacon 11					SG on pile.	Private aid.  * 39/04
21510.5	- Daybeacon 11A					SG on pile.	Private aid.  * 39/04
21515	- Daybeacon 13					SG on pile.	Private aid.  * 39/04
21520	- Daybeacon 14					TR on pile.	Private aid.  * 39/04
21525	- Daybeacon 15					SG on pile.	Private aid.  * 39/04
21530	- Daybeacon 15A					SG on pile.	Private aid.  * 39/04
<b>Big Sarasota Pass</b>							
21570	- Daybeacon 16	27 18 18 N 82 33 36 W				TR on pile.	Private aid.  * 39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Big Sarasota Pass</b>							
21575	- Daybeacon 17				SG on pile.		Private aid. * 39/04
21580	- Daybeacon 19				SG on pile.		Private aid. * 39/04
*Delete Heading: *Jays Harbor Lights Marina							
42195	- Range Front Daybeacon						Remove from list. * 39/04
42200	- Range Rear Daybeacon 17 yards, 070° from front daybeacon.						Remove from list. * 39/04
*Add Heading: *Jays Harbor Lights Marina							
42205	- Daybeacon 1				SG on pile.		Private aid. 39/04
*51090.3	Leighton Park Daybeacon 2				TR on pile.		Private aid. 39/04
*51090.4	Leighton Park Daybeacon 4				TR on pile.		Private aid. 39/04
*51090.5	Leighton Park Daybeacon 6				TR on pile.		Private aid. 39/04
*51090.7	Leighton Park Daybeacon 7				SG on pile.		Private aid. 39/04
*59792	- Daybeacon 10	27 28 16 N 82 39 53 W			TR on pile.		Private aid. 39/04
*59793	- Daybeacon 11				TR on pile.		Private aid. 39/04
59795	- Daybeacon 12				TR on pile.		Private aid. 39/04
	*						39/04
59800	- Daybeacon 13				SG on pile.		Private aid. 39/04
	*						39/04
*59803	- Daybeacon 14				TR on pile.		Private aid. 39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
59805	- Daybeacon 15					TR on pile.	Private aid.
	*						39/04
59810	- Daybeacon 16					SG on pile.	Private aid.
	*						39/04
*60255.1	- Daybeacon 2	27 31 28 N 82 43 16 W				TR on pile.	Private aid.
							39/04
*60255.2	- Daybeacon 3					SG on pile.	Private aid.
							39/04
*60255.3	- Daybeacon 4					TR on pile.	Private aid.
							39/04
*60255.4	- Daybeacon 5					SG on pile.	Private aid.
							39/04
*60255.5	- Daybeacon 6					TR on pile.	Private aid.
							39/04
*60255.6	- Daybeacon 7					SG on pile.	Private aid.
							39/04
*60255.7	- Daybeacon 8					TR on pile.	Private aid.
							39/04
*60255.8	- Daybeacon 10					TR on pile.	Private aid.
							39/04

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*857	Hunt-100-3 Lighted Buoy Marks subsea installation.	28 14 34 N 92 00 40 W	FI W 2.5	10		White with orange bands.	SIGN: HUNT-SMI-146-001. Private aid.
							39/04
24037	Exxon Baytown Refinery Lighted Buoy 1						Remove from list.
							*
							39/04
24038	Exxon Baytown Refinery Lighted Buoy 3						Remove from list.
							*
							39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Grand Canal Channel</b>							
31450	- Daybeacon 1	30 21 56 N 87 06 54 W				SG on pile.	Private aid.
		*					39/04
31455	- LIGHT 2	30 21 56 N 87 06 53 W	FI R 4s	11		TR on pile.	Private aid. Ra ref.
		*					39/04
31470	- Daybeacon 5	30 22 00 N 87 06 55 W				SG on pile.	Private aid.
		*					39/04
31495	- Daybeacon 10	30 22 04 N 87 06 55 E				TR on pile.	Private aid.
		*					39/04
<b>CARLOS BAY TO REDFISH BAY (Chart 11314)</b>							
<b>Port O'Connor - Corpus Christi</b>							
<b>Aransas Bay</b>							
36730	- LIGHT 1 90 feet outside channel limit.		FI G 2.5s	17	3	SG on pile.	Ra ref.
						*	39/04
36760	- LIGHT 7 90 feet outside channel limit.	28 07 05 N 96 55 29 W	FI G 4s	17	4	SG-SY on pile.	Ra ref.
		*					39/04
<b>Rockport Channel</b>							
37015	- LIGHT 1	28 00 52 N 97 02 48 W	FI G 2.5s	17	3	SG on dolphin.	
		*					39/04
37030	- LIGHT 6		FI R 4s	17	3	TR on pile.	Ra ref.
						*	39/04
37090	- LIGHT 49 90 feet outside channel limit.	28 00 06 N 97 01 38 W	Q G	17	4	SG-SY on pile.	Ra ref.
		*					39/04
<b>Aransas - Corpus Christi Bay Cut Off Channel</b>							
37095	- Junction Buoy	28 00 03 N 97 01 46 W				Red nun with green bands and yellow triangle.	
		*					39/04
37285	- Buoy 42	27 53 00 N 97 08 35 W				Red nun with yellow triangle.	
		*					39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37305	- LIGHT 50	27 52 15 N 97 09 33 W	<b>Q R</b>	17	3	TR-TY on pile.	
		*					39/04
37445	- LIGHT 71		<b>FI G</b> 2.5s	17	3	SG on pile.	Ra ref.
						*	* 39/04
37470	- LIGHT 76	27 45 42 N 97 12 50 W	<b>FI R</b> 4s	17	3	TR on pile.	Ra ref.
						*	* 39/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
720 15530	<b>Grays Harbor Light</b>	46 53 18 N 124 07 01 W	<b>Al W R</b> 30s 0.1s W fl 14.9s ec. 0.1s R fl 14.9s ec.	123		White truncated octagonal pyramid tower. 107	Emergency light Iso W 6s. Lighted throughout 24 hours.
					*		39/04
<b>GRAYS HARBOR - WESTPORT HARBOR (Chart 18502)</b>							
<b>Grays Harbor</b>							
15530 720	<b>- Light</b>	46 53 18 N 124 07 01 W	<b>Al W R</b> 30s 0.1s W fl 14.9s ec. 0.1s R fl 14.9s ec.	123		White truncated octagonal pyramid tower. 107	Emergency light Iso W 6s. Lighted throughout 24 hours.
					*		39/04
<b>Coast Guard Mooring</b>							
16291	- BREAKWATER OBSTRUCTION LIGHT	48 08 23 N 123 24 43 W	<b>FI Y</b> 4s	14	5	NY on concrete wall.	
				*	*		39/04
16293	- BASIN LIGHT 2	48 08 21 N 123 24 44 W	<b>FI R</b> 4s	14	3	TR on concrete wall.	
				*	*		39/04
16380	MINOR ISLAND LIGHT	48 19 27 N 122 49 09 W	<b>FI W</b> 4s	24	6	Cylindrical Tower.	
				*			39/04
16750 17915	POINT MONROE LIGHT	47 42 31 N 122 30 41 W	<b>Iso W</b> 6s	30	9	NG on skeleton tower.	Obscured from 321° to 089°.
					*		39/04
<b>Tacoma Harbor</b>							
17125	<b>Thea Foss Waterway Light</b>	47 15 42 N 122 26 11 W	<b>FI W</b> 6s	23	9	Light on pile; horn on dock.	HORN: 2 blast ev 20s (2s bl-2s si-2s bl-14s si).
		*			*		39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.



## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17215	Point Defiance Light	47 19 00 N 122 32 53 W	FI W 6s	21	9	NG on pile structure.	HORN: 1 blast ev 15s (2s bl).
		*			*		39/04
17400	DOFFLEMYER POINT LIGHT	47 08 29 N 122 54 29 W	Iso W 6s	30	9	White pyramidal tower.	HORN: 1 blast ev 15s (2s bl).
		*					39/04
17800	- LIGHT 8	47 48 49 N 122 42 52 W	FI R 4s	15	5	TR on dolphin.	
		*					39/04
<b>Port Madison and Port Orchard</b>							
17915 16750	POINT MONROE LIGHT	47 42 31 N 122 30 41 W	Iso W 6s	30	9	NG on skeleton tower.	Obscured from 321° to 089°.
					*		39/04
19240	WHATCOM WATERWAY RANGE FRONT LIGHT	48 45 10 N 122 29 03 W	Q G	41		KRW on platform on building.	Visible 1.25° each side of rangeline.
		*					39/04
19270	BELLINGHAM BREAKWATER ENTRANCE LIGHT 1	48 45 14 N 122 30 26 W	FI G 4s	17	5	SG on pile.	
		*			*		39/04
19940	INTERNATIONAL BOUNDARY RANGE C REAR LIGHT		F G	80		Rectangular shaped orange daymark on gray tower. 61	Visible 14° each side of rangeline.
		*					39/04
19975	- RANGE A REAR LIGHT		F W	258		Rectangular shaped orange daymark on gray pile. On same structure as International Boundary Range B Rear Light.	Visible westward. F R aircraft warning light on top of tower. Lighted throughout 24 hours.
		*					39/04
19980	INTERNATIONAL BOUNDARY OBSTRUCTION LIGHT EAST	49 00 07 N 123 01 12 W	FI Y 4s	36	6	On rectangular block.	
		*					39/04
19985	- RANGE B FRONT LIGHT	49 00 07 N 123 02 07 W	F G	65		Rectangular shaped orange daymark on gray skeleton tower.	Visible on range line only.
		*					39/04
<b>ISLAND OF HAWAII (Chart 19320)</b>							
28180	KAILUA BAY ENTRANCE DIRECTIONAL LIGHT		Oc W 4s (R & G sectors)	31		NB on post. 25	Centerline (bearing 023°). White visible 3° each side of centerline. Green visible from (026°- 060°). Red visible from (310°- 020°).
		*					39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5530	South Bass Island Light	41 37 44 N 82 50 29 W	FI R 6s	95 29	11	NR on skeleton tower. 70	
		*		*		*	39/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.